

**Capturing Successful Aging in Daily Life: Exploring the Intensive Longitudinal Findings  
from a US National Sample**

Dwight C. K. Tse, Ph.D. (<https://orcid.org/0000-0003-2725-1849>)<sup>1</sup>, Kelsey P. Finley, M.A.<sup>2</sup>,  
Linzi F. Crawford, B.Sc.<sup>1</sup>, Jeanne Nakamura, Ph.D.<sup>2</sup>

<sup>1</sup>Department of Psychological Sciences and Health, University of Strathclyde, Glasgow,  
Scotland, United Kingdom

<sup>2</sup>Quality of Life Research Center, Claremont Graduate University, Claremont, CA, USA

Address correspondence to: Dwight C. K. Tse, Ph.D. E-mail: [dwight.tse@strath.ac.uk](mailto:dwight.tse@strath.ac.uk).

Other authors' email addresses: [kelsey.finley@cgu.edu](mailto:kelsey.finley@cgu.edu) (Finley),

[linzi.crawford.2019@uni.strath.ac.uk](mailto:linzi.crawford.2019@uni.strath.ac.uk) (Crawford), [jeanne.nakamura@cgu.edu](mailto:jeanne.nakamura@cgu.edu) (Nakamura).

© The Author(s) 2024. Published by Oxford University Press on behalf of The Gerontological Society of America.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted reuse, distribution, and reproduction in any medium, provided the original work is properly cited.

## Abstract

**Background and Objectives:** Thus far, successful aging has been conceptualized and operationalized as a relatively static construct. Investigating daily successful aging provides a dynamic approach highlighting how successful aging can be achieved through everyday actions, giving older adults a stronger sense of control over their lives.

**Research Design and Methods:** We used 8-day diary data from MIDUS 2's US national sample of older adults ( $N=716$ ,  $M_{\text{age}}[SD]=68.80[6.45]$ ). Participants reported daily physical symptoms, functioning, and engagement in life (collectively, successful aging indicators), alongside daily stressors and positive events. We also correlated personal mean and standard deviation of the indicators with one-time measures of health and well-being.

**Results:** Intra-class correlation revealed substantial within-person variability in successful aging indicators. These indicators were associated with daily stressors and positive events. One-time health and well-being indicators were positively associated with personal mean levels of successful aging, although their correlations with personal standard deviations were less consistent.

**Discussion and Implications:** Intra-individual variations in successful aging as everyday symptoms, functioning, and engagement with life are observable among a national sample of older adults, challenging the static view of successful aging and, instead, emphasizing the need to understand "micro-level" contributors of successful aging.

**Keywords:** daily diary, intraindividual variability, multilevel modeling

## Background and Objectives

Successful aging has been defined as distinct from normative or usual aging to inspire research on dimensions and predictors of aging well (Rowe & Kahn, 1987, 1997; Schaie, 2016). Although there is little consensus on the definition of successful aging, most researchers agree that it is a multi-dimensional construct (Martin et al., 2015; Settersten, 1999). Among other successful aging models (for reviews, see Depp & Jeste, 2006; Martinson & Berridge, 2015; Teater & Chonody, 2020), the prevailing one proposed by Rowe and Kahn (1997, 2015) defines successful aging with three dimensions “encompassing the avoidance of disease and disability, the maintenance of high physical and cognitive function, and sustained engagement in social and productive activities” (1997, p. 433).

Despite its widespread use, Rowe and Kahn’s model also faces scrutiny for potentially excluding those with normative age-related health conditions (e.g., Calasanti & King, 2021; Strawbridge et al., 2002). Many older adults with existing health conditions or disability have demonstrated good cognitive function and overall well-being (Carpentieri et al., 2017), and have been shown to rate themselves as aging successfully (Romo et al., 2013). Strawbridge et al. (2002) propose potential unintended consequences of the model such as celebrating the genetically fortunate few, placing blame on the less fortunate majority, and discouraging those who are classified as aging “unsuccessfully” from pursuing secondary and tertiary prevention. Kahn (2002) responds stating that he is sympathetic to the concern, although he believes this unintended consequence of dichotomous thinking “reflects a characteristic of contemporary American culture rather than something intrinsic to the concept” (p. 726). We suggest that the successful aging model may find new and unique applications by employing intensive longitudinal methods such as a daily diary design.

To provide an example from related work, the study of subjective views of aging has benefitted from utilizing intensive longitudinal methods. This research has shown that older adults' views on aging and awareness of age-related changes are subject to proximal factors and changes in daily contexts (e.g., Bellinger et al., 2017; Hoffman et al., 2022). In line with these findings, Cohn-Schwartz and Gerstorf (2022) underscore the usefulness of intensive longitudinal methods to study specific everyday life experiences that make people feel younger or older. In relation to successful aging, the “missing voice” perspective, labelled in Martinson and Berridge's (2015) review, posits that any successful aging model should consider older adults' subjective views, as opposed to relying solely on established objective criteria, putting greater emphasis on older adults' subjective perceptions of aging well (Pruchno et al., 2023; Shrira et al., 2016). A phenomenological, dynamic measure of successful aging could integrate more subjectivity by moving down to the experiential level while still retaining the three dimensions of the Rowe and Kahn model. Therefore, such a measure of successful aging has the potential to make a contribution distinct from global subjective perceptions of aging well, if it shows variation at the day level and is sensitive to day-to-day conditions.

A glimpse into the assessment of within-person variation of specific successful aging dimensions and related constructs suggests that we might expect daily variation and that this kind of assessment lends itself to a novel understanding of aging well. Daily/momentary assessment of social engagement, a dimension of successful aging, has proven to have unique contributions to our understanding of influences on well-being in older adults through contextual moderators that are only feasible to assess using intensive longitudinal designs. For example, Mann et al. (2022) found that older adults' engagement in prosocial activity attenuates the negative relationship between solitude (i.e., absence of social interactions) and momentary well-being.

Even dimensions of successful aging that appear to be relatively stable and perhaps contribute to its needless exclusivity, like avoidance of disease and disability, have shown variations at a more micro time scale. For example, for people with rheumatoid arthritis, daily variations in subjective pain were associated with the disease, and these daily variations were predicted by depression, happiness, and frustration (Schneider et al., 2012). Rather than designating someone with arthritis as not aging successfully, examination of the day-to-day variation in pain would allow for identification of ideal days, environments, and structures that promote the experience of successful aging within this population and others potentially excluded from successful aging research.

Using intensive longitudinal methods would allow researchers to get closer to the lived experience of successful aging and investigate its proximal facilitators and barriers that are otherwise obscured by solely using global one-time measures (Palmier-Claus et al., 2019). As such, successful aging becomes less exclusive, but retains its usefulness – allowing researchers to examine proximal predictors of successful aging, including the successful management of symptoms associated with disease and disability. It may prove useful to conceptualize and measure successful aging as a dynamic condition varying within-person across time distinct from a static status or characteristic. However, for day-to-day assessments of successful aging to be utilized in the ways we have proposed, we first must confirm that successful aging does, in fact, vary within person (see Hypothesis 1).

If successful aging indeed varies within person, a follow-up question will be whether there are proximal factors that are associated with its day-to-day variations. Cross-sectionally, stressful events have been found to be negatively related to successful aging (e.g., Byun & Jung, 2016; Chukwuorji et al., 2017), while social support (e.g., Gow et al., 2007; Moore et al., 2015)

has been conceptualized as both predictors (positive) of successful aging and moderators (attenuators) of the relationship between health factors and successful aging. Using intensive longitudinal methods, Graf et al. (2017) found that intraindividual variation in daily hassle and daily uplift intensity was negatively and positively related, respectively, to intraindividual changes in self-assessed health – one dimension of Rowe and Kahn’s (1997) successful aging construct. However, to our knowledge, there is no study examining daily predictors of *intra-individual* variation on a *multi-dimensional* measure of successful aging. If there is substantial within-person variability in successful aging, it may be responsive to within-person variability in daily encounters such as those discussed above (see Hypothesis 2).

The evaluation of daily successful aging should also consider its association with crucial life outcomes in late adulthood. Drawing from the literature, one-time measures of successful aging tend to be related to health and well-being. In Depp and Jeste’s (2006) review, successful aging was strongly associated with better health, such as the absence of hearing problems, fewer impairment in activities of daily living, and being a non-smoker. For engagement with life, Sabia et al. (2012) found that healthy behaviors, such as diet and physical activity, which are more disposed to change than general health factors, were related to successful aging in a follow-up survey more than a decade later. Cho et al. (2015) found that dimensions of successful aging such as cognitive functioning and (the absence of) physical impairment were associated with better subjective well-being. Strawbridge et al. (2002) found positive associations between both a self-rated and a criterion-based measure of successful aging and numerous measures of well-being. Windsor et al. (2015) found that a higher sense of purpose was related to indicators of aging well. Taken together, we expect that daily assessments of successful aging will also be related to global assessments of health and well-being, similar to their associations with one-time

successful aging measures depicted in the literature (see Hypothesis 3).

### **The Current Study**

Analyzing secondary data from a diary study with a large sample of older adults, we investigated successful aging in terms of daily functioning and experiences rather than one-off measurements. Providing a dynamic approach and investigating day-to-day predictors may introduce a more achievable perspective of successful aging for most older adults. This is important as it may provide older adults with higher levels of perceived control over their lives and aging processes, as well as more positive self-perceptions of aging (Kotter-Grühn & Hess, 2012). Both have been shown to be associated with better functioning and well-being (Levy et al., 2002).

H1. Daily successful aging indicators will show considerable within-person variations.

H2. Daily successful aging indicators are responsive to day-to-day events.

H3. Daily successful aging indicators will correlate with one-time measures of health and well-being.

### **Research Design and Methods**

#### ***Data and Sample***

Participants were from the Midlife in the United States (MIDUS) 2 Daily Diary Project that include a national sample of US Americans (Radler, 2004). Data was collected in 2004-2009 via eight consecutive days of surveys and phone interviews. Additionally, we combined the participants' data with that from one-time interviews and surveys conducted as part of the MIDUS 2 project and the MIDUS 2 Cognitive Functioning project. Excluding participants who were aged below 60 during the diary project ( $n=1,226$ ) and those who had not completed all the components ( $n=80$ ), the final sample included 716 participants (6,368 total daily reports) with

age ranged from 60-84,  $M_{\text{age}}(SD)=68.80(6.45)$ , 57.3% female, 92.5% white.

## **Measures**

### ***Within-Person Variables***

**Daily successful aging.** Successful aging indicators were extracted from daily survey items that matched with Rowe and Kahn's (1997) conceptualization of successful aging, including daily physical symptoms (e.g., "backache;" 30 symptoms in total), subjective physical ("active") and cognitive functioning ("attentive"), social connectedness ("like you belong," "close to others"), and perceived productivity ("proud," "enthusiastic," "confident"). Except for daily physical symptoms, participants responded to the items with the prompt "how much of the time today did you feel..." on a 5-point scale ranging from 0 (*None of the time*) to 4 (*All of the time*). Daily physical symptoms were recoded to 0-4+, given the distribution and the need to transform it to a 5-point scale. We computed the daily successful aging composite by reversing the physical symptom score, taking the average of the items within the subcomponents, and averaging the scores across components. Higher scores reflect higher degree of daily successful aging.

When examining the reliability of these items, we conducted multilevel confirmatory factor analysis using R packages lavaan and semTools to account for the multilevel data and second-order factor structure (Jorgensen et al., 2022; Rosseel, 2012). The model showed a good fit with the data,  $CFI=.964$ ,  $RMSEA=.043$ , 90%  $CI[.038, .048]$ ,  $SRMR_{\text{within}}=.022$ ,  $SRMR_{\text{between}}=.038$ . The between- and within-person reliability, sometimes referred to as McDonald's  $\omega$  (Jorgensen et al., 2022), was .91 and .69, respectively, indicating that the scale had satisfactory internal consistency at both levels. We also examined the between person reliability (using personal means; see Analytic Methods) using more familiar statistics.



Cronbach's alpha for the personal means was .82, with item-total correlations ranging from .33 (daily symptoms) to .82 (daily productivity).

**Daily stressors and positive events.** Participants selected from a list of seven potential stressors (e.g., interpersonal conflict) and five potential positive events (e.g., sharing a good laugh) the ones they experienced on each day (Almeida et al., 2002). The total numbers of reported daily stressors and positive events were added up to create summative composite scores of daily stressors and positive events, respectively. Because very rarely did participants report more than three stressors or positive events, we recoded both composites to a 4-point scale (0, 1, 2, 3+).

### ***Between-Person Variables***

**One-time successful aging measures.** From MIDUS 2 one-time surveys/interviews, we extracted survey items that corresponded to the daily successful aging indicators, where participants were asked with what frequency they felt "active," "attentive," "like you belong," "close to others," "proud," "enthusiastic," and "confident," each measured on a 5-point scale ranging from 0 (*None of the time*) to 4 (*All of the time*). We also recoded the 30-item physical symptoms checklist in a 5-point format with 0–4+ symptoms. Similar to the daily counterpart, we computed a one-time successful aging composite by taking the average of the items within the sub-components, and averaging the scores across components (Cronbach's  $\alpha=.90$ ).

**Health and well-being.** We included six one-time indicators of physical health (instrumental activities of daily living [IADL]; chronic health conditions, self-evaluated physical health, health compared to others your age, vigorous activity, and moderate activity), five indicators of cognitive functioning (Brief Test of Adult Cognition by Telephone [BTACTION], episodic memory, executive functioning, memory compared to others your age, self-perception

of intellectual abilities), and five indicators of mental well-being (satisfaction with life, Ryff's psychological well-being, social well-being, self-evaluated mental/emotional health, perceived control) in the between-person analyses. See Supplementary Material for the descriptions of these variables.

### ***Analytic Methods***

We first estimated multi-level null models with daily successful aging indicators as the outcome variables. Intra-class correlations (ICCs) obtained from these models reflected the variation accounted for at both between- and within-person levels (H1). As ICCs are calculated by dividing between-person variance by the total variance (sum of between- and within-person variance), lower ICC values represent larger proportions of variance accounted for by within-person variations instead of between-person differences. Then, we included in the models the numbers of daily stressors and positive events as predictors (H2). The predictors were separated into the personal mean and the person-mean centered component to estimate simultaneously their between- and within-person effects on daily successful aging (Curran & Bauer, 2011).

For between-level analyses, we computed the personal means ( $M_{\text{Personal}}$ ) of daily successful aging indicators by taking the personal averages across the eight days. We correlated these means with the one-time version of the same items to examine their construct validity. We also correlated  $M_{\text{Personal}}$  of daily successful aging indicators with the one-time indicators of health and well-being (H3). Additionally, we explored the zero-order and partial correlations between daily successful aging personal standard deviation ( $SD_{\text{Personal}}$ ) and one-time health and well-being indicators, given that within-person variance was a unique piece of information that one-time measurement of successful aging cannot capture. For analyses at both levels, we reported the

findings with 1,000 bootstrapped samples to account for potential deviations from the parametric assumptions.

SPSS Syntax files are publicly available at <https://osf.io/bc8hs/>.

## Results

### *Within-Person Analyses*

**Intraclass correlations.** In the null models, the ICCs of the daily successful aging indicators, reflecting the proportion of variance accounted for by between-person differences (as opposed to within-person variation), ranged from 54.24% (physical functioning) to 72.47% (overall successful aging; see Table 1). In other words, more than a quarter of the variance of each indicator was accounted for by within-person, day-level variations, which was consistent with H1.

**Daily stressors and positive events.** As shown in Table 1, at the within-person level, daily stressors and positive events were associated negatively and positively, respectively, with most successful aging indicators, although the effect of within-person daily positive events on overall daily successful aging was non-significant at  $p=.068$ . That is, on days when an older adult encountered more stressors than usual (i.e., higher than their average number), they reported lower levels of successful aging. We also found similar effects of between-person stressors and positive events on these indicators, such that when comparing between two older adults, the one reporting fewer daily stressors and more positive events on average was more likely to score high in daily successful aging than the other. Surprisingly, however, on days with more-than-usual daily positive events, older adults also experienced more daily physical symptoms. Taken together, the findings regarding H2 were mixed: amid the highlighted exceptions, daily successful aging indicators were responsive to daily events mostly as anticipated.

## ***Between-Person Analyses***

**Convergence with one-time successful aging measures.** The correlation matrix (Table 2) revealed that (a)  $M_{\text{Personal}}$  of daily successful aging indicators were positively associated with one-time successful aging measurements (for physical symptoms, the associations with other indicators were negative;  $.13 < |r| < .58$ ), and (b) the correlations between each daily indicator's  $M_{\text{Personal}}$  and their corresponding one-time measure (median  $r = .49$ ) were generally larger than off-diagonal correlations with non-corresponding measures (median  $r = .39$ ). This suggests satisfactory construct validity of the daily indicators.

**Personal mean of daily successful aging.** Table 3 shows that the  $M_{\text{personal}}$  of daily successful aging was significantly correlated with one-time physical health (from  $r = -.37$  with chronic health conditions to  $r = .36$  with IADL), cognitive functioning (from  $r = .09$  with executive functioning and BTACT to  $r = .32$  with memory compared with others), and mental well-being variables (from  $r = .20$  with social well-being to  $r = .42$  with satisfaction with life). That is, older adults who reported greater successful aging across the data collection period indeed enjoyed better physical health, cognitive functioning, and mental well-being, as assessed by the one-time measures. These were mostly consistent with H3, although the effect sizes ranged only between very small and moderate.

**Personal standard deviation.** Table 3 also shows that  $SD_{\text{personal}}$  of daily successful aging was negatively correlated with 13 out of 15 physical health, cognitive functioning, and mental well-being variables (from  $r = -.23$  with self-evaluated physical health to  $r = -.09$  with BTACT). The exceptions were moderate physical activity ( $r = -.07$ ,  $[-.16, .01]$ ) and episodic memory ( $r = -.07$ ,  $[-.14, .01]$ ). That is, older adults whose daily successful aging levels varied more over the data collection period tended to score lower in physical health, cognitive functioning, and mental

well-being on the one-time measures. When controlling for the  $M_{\text{personal}}$ , the partial correlations among  $SD_{\text{personal}}$  and health and well-being variables weakened, while some in each category remained statistically significant (9 out of 15), including IADL, chronic health conditions, memory compared to others, satisfaction with life, current life rating, psychological well-being, social well-being, self-evaluated mental/emotional health, and perceived control over life.

### **Discussion and Implications**

Examining successful aging intensively within-person, our study revealed that it indeed varied in everyday life (H1), was responsive to day-to-day events and activities mostly as anticipated (H2), and was associated with most one-time health and well-being indicators showing satisfactory convergent validity (H3), with participants who scored high in daily successful aging demonstrating generally better health, functioning, and well-being as indicated by the one-time measurements.

While successful aging showed evidence of within-person daily variation, the dimensions differed to some degree on the proportion of within-person daily variations. Nevertheless, the within-person variance was never greater than 50% of the total variance. Such variations may seem small on the surface and may partially account for the view of successful aging as a static construct. To put this in context, other intensive longitudinal studies have reported similar values for the within-person variation of health, functioning, and well-being indicators. For example, the within-person variations of everyday memory problems were found to be 23% (Rickenbach et al., 2014). Even for constructs that are typically considered highly varying across time, such as affective states, the within-person variation was also less than 50% (Mukherjee et al., 2023). As such, we posit that the within-person variation found among daily successful aging indicators is largely in line with other daily assessments of important cognitive and psychological states in

late adulthood.

While our daily measure of successful aging was responsive to day-to-day events and activities mostly as anticipated, it is noteworthy that daily physical symptoms that represented the absence of disease and disability facet appeared to yield incongruent relationships with day-to-day events compared to other successful aging indicators. This may be due to measurement-related issues, such as physical symptoms being the only negatively worded items, which may also contribute to the small correlations between physical symptoms and other successful aging indicators. On the other hand, the inconsistent findings may also reflect substantive differences, given that disease and disability can be relatively stable and less influenced by daily activities and events than other facets. Future studies incorporating a measurement burst design may help pinpoint each facet's relative stability.

Participants' individual average across days of daily successful aging was related to all one-time measures of health and well-being, although the effects were mostly small to medium in size. Interestingly, when examining the individual dimensions of successful aging, we found some degree of domain-specificity. For example, the disease/disability and physical functioning indicators were the only two that correlated with all one-time physical health measures. Additionally, only the cognitive functioning indicator was correlated with all one-time measures of cognitive test performances. Whereas the multi-dimensional daily successful aging measure indeed helps assess global health and functioning in late adulthood, the nuances of each domain can also be picked up by the corresponding sub-dimensions.

In our exploratory analyses, it appears that greater variation in daily successful aging was associated with poorer physical health, cognitive functioning, and mental well-being. Some of these correlations, despite the small effect sizes, remained even after accounting for personal

means of daily successful aging. That is, for older adults with the same average level of daily successful aging, those who demonstrate greater (vs. lesser) *instability* in daily successful aging are likely to report poorer health and well-being. This is consistent with studies showing that affective instability (i.e., variation of affective experience) is associated positively with symptomology of mental health conditions (e.g., Sultson et al., 2024). Interestingly, Rowe and Kahn (1997) themselves recognized the importance of intra-individuality “to determine the usual aging syndrome” (p. 436) among the older population. The implications of this finding are twofold. First, it highlights the additional predictive power of using daily over one-time instruments. If successful aging is operationalized as a one-time measure, the additional information associated with the within-person variability will be lost. Second, it suggests that promoting health, functioning, and well-being in late adulthood requires more than a short-term boost such as one-time interventions on social and productive engagement. It is equally important to develop long-term strategies to help older adults manage day-to-day demands and foster a stable and positive environment to sustain successful aging.

Conceptualizing successful aging as a within-person construct also has practical implications. Whereas identifying “successful agers” may help unveil individual differences in lifestyle and contributors to a healthy and positive late adulthood, extremely positive portrayals of old age are not always beneficial to older adults (e.g., Fung et al., 2015). The key appears to lie in whether older adults perceive aging as controllable and successful aging as achievable. Besides physical activities, which are consistently shown to foster successful aging (e.g., Britton et al., 2008; Depp & Jeste, 2006), our findings complement the literature by showing the effects of day-to-day stressors and positive events on daily successful aging. These events are considerably easier targets for interventions than “static” factors such as midlife socioeconomic

status and personality (e.g., Britton et al., 2008; see also Serrat et al., 2024, for a review on personality and successful aging).

### **Strengths, Weaknesses, and Future Directions**

Our daily diary data were ideal for investigating the within- and between-person variability of successful aging and examining the day-to-day contributors to aging well. However, we acknowledge that our successful aging items are by no means a perfect representation of the construct, reflecting the constraints of performing analyses on secondary data. As we have demonstrated the possibility of operationalizing successful aging at the daily level, we recommend future scale development work to create measures that are feasible for intensive longitudinal designs such as experience sampling methods (ESM; Csikszentmihalyi & Larson, 1987). We consider such work to be important, especially at the early stage of investigation, to also address the long-standing concerns of measurement inconsistency across successful aging studies (Katz & Calasanti, 2015).

Despite using a national sample of older adults, we are also aware of the great heterogeneity regarding health and functioning in late adulthood within and beyond the sample (e.g., Stringfellow et al., 2024). On the one hand, we anticipate that older or less healthy individuals may have greater day-to-day variability in pain perceptions and daily physical symptoms. On the other hand, the literature suggests that age is negatively associated with affect and well-being variability (Röcke & Brose, 2013), which are correlated with some successful aging components. To test these possibilities empirically, it is essential that future replications target people in the fourth age. Finally, it would be ideal for future work to incorporate alternative conceptualizations of successful aging, especially since the literature has suggested cultural differences (our study included mostly white American older adults) and discrepancies



between researcher-prescribed and older adults' self-defined features of successful aging (e.g., Phelan et al., 2004; Reich et al., 2020).

This study represents an important step towards demonstrating the possibility and utility of conceptualizing and operationalizing successful aging as a state-like (vs. trait-like) construct that is susceptible to the effects of day-to-day events and activities. Overall, the findings show successful aging to be dynamic and responsive to day-to-day stressors and positive events. With this understanding, it may be useful to investigate how participating in certain activities, such as volunteering, can affect successful aging using intensive longitudinal methods. Instead of *inter-individually* classifying older adults as “successful agers” or not, we could focus on *intra-individually* fostering higher levels of successful aging in everyday life.

Accepted Manuscript

**Funding**

None.

**Conflict of Interest**

We have no conflict of interest.

**Data Availability**

Analysis syntax can be retrieved at <https://osf.io/bc8hs/>.

Accepted Manuscript

## References

- Almeida, D. M., Wethington, E., & Kessler, R. C. (2002). The daily inventory of stressful events: An interview-based approach for measuring daily stressors. *Assessment*, 9(1), 41–55. <https://doi.org/10.1177/1073191102091006>
- Araújo, L., Ribeiro, O., Teixeira, L., & Paúl, C. (2016). Successful aging at 100 years: The relevance of subjectivity and psychological resources. *International Psychogeriatrics*, 28(2), 179–188. <https://doi.org/10.1017/S1041610215001167>
- Bellingtier, J. A., Neupert, S. D., & Kotter-Grühn, D. (2017). The combined effects of daily stressors and major life events on daily subjective ages. *Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 72(4), 613–621. <https://doi.org/10.1093/geronb/gbv101>
- Britton, A., Shipley, M., Singh-Manoux, A., & Marmot, M. G. (2008). Successful aging: the contribution of early-life and midlife risk factors. *Journal of the American Geriatrics Society*, 56(6), 1098–1105. <https://doi.org/10.1111/j.1532-5415.2008.01740.x>
- Byun, J., & Jung, D. (2016). The influence of daily stress and resilience on successful ageing. *International Nursing Review*, 63(3), 482–489. <https://doi.org/10.1111/inr.12297>
- Calasanti, T., & King, N. (2021). Beyond successful aging 20: Inequalities, ageism, and the case for normalizing old ages. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*, 76(9), 1817–1827. <https://doi.org/10.1093/geronb/gbaa037>
- Carpentieri, J. D., Elliott, J., Brett, C. E., & Deary, I. J. (2017). Adapting to aging: Older people talk about their use of selection, optimization, and compensation to maximize well-being in the context of physical decline. *The Journals of Gerontology: Series B*, 72(2), 351–361. <https://doi.org/10.1093/geronb/gbw132>

- Cho, J., Martin, P., & Poon, L. W. (2015). Successful aging and subjective well-being among oldest-old adults. *The Gerontologist*, *55*(1), 132–143.  
<https://doi.org/10.1093/geront/gnu074>
- Chukwuorji, J. C., Nwoke, M. B., & Ebere, M. O. (2017). Stressful life events, family support and successful ageing in the Biafran War generation. *Aging & Mental Health*, *21*(1), 95–103. <https://doi.org/10.1080/13607863.2015.1083946>
- Cohn-Schwartz, E., & Gerstorf, D. (2022). Subjective views of aging: The utility of studying multiple time metrics. In Y. Palgi, A. Shrira, & M. Diehl (Eds.), *Subjective views of aging: Theory, research, and practice* (pp. 169–186). Springer International Publishing.
- Csikszentmihalyi, M., & Larson, R. (1987). Validity and reliability of the experience-sampling method. *Journal of Nervous and Mental Disease*, *175*(9), 526–536.  
<https://doi.org/10.1097/00005053-198709000-00004>
- Curran, P. J., & Bauer, D. J. (2011). The disaggregation of within-person and between-person effects in longitudinal models of change. *Annual Review of Psychology*, *62*(1), 583–619.  
<https://doi.org/10.1146/annurev.psych.093008.100356>
- Depp, C. A., & Jeste, D. V. (2006). Definitions and predictors of successful aging: A comprehensive review of larger quantitative studies. *The American Journal of Geriatric Psychiatry*, *14*(1), 6–20. <https://doi.org/10.1097/01.jgp.0000192501.03069.bc>
- Fung, H. H., Li, T., Z, X., Sit, I. M. I., Cheng, S., & Isaacowitz, D. M. (2015). Positive portrayals of old age do not always have positive consequences. *The Journals of Gerontology: Series B*, *70*(6), 913–924. <https://doi.org/10.1093/geronb/gbu061>
- Gow, A. J., Pattie, A., Whiteman, M. C., Whalley, L. J., & Deary, I. J. (2007). Social support and successful aging: Investigating the relationships between lifetime cognitive change and

- life satisfaction. *Journal of Individual Differences*, 28(3), 103–115.  
<https://doi.org/10.1027/1614-0001.28.3.103>
- Graf, A. S., Long, D. M., & Patrick, J. H. (2017). Successful aging across adulthood: Hassles, uplifts, and self-assessed health in daily context. *Journal of Adult Development*, 24(3), 216–225. <https://doi.org/10.1007/s10804-017-9260-2>
- Hoffman, Y., Avidor, S., Palgi, Y. (2022). Subjective views of aging in the context of adversity: in support of a resource-stress model. In Y. Palgi, A. Shrira, M. Diehl (Eds.), *Subjective views of aging* (pp. 269–288). Springer.
- Jorgensen, T. D., Pornprasertmanit, S., Schoemann, A. M., & Rosseel, Y. (2022). *semTools: Useful tools for structural equation modeling*. R package version 0.5-6. <https://CRAN.R-project.org/package=semTools>
- Kahn, R. L. (2002). On “Successful aging and well-being: Self-rated compared with Rowe and Kahn.” *The Gerontologist*, 42(6), 725–726. <https://doi.org/10.1093/geront/42.6.725>
- Katz, S., & Calasanti, T. (2015). Critical perspectives on successful aging: Does it “appeal more than it illuminates”? *The Gerontologist*, 55(1), 26–33.  
<https://doi.org/10.1093/geront/gnu027>
- Kotter-Grühn, D., & Hess, T. M. (2012). The impact of age stereotypes on self-perceptions of aging across the adult lifespan. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*, 67(5), 563–571. <https://doi.org/10.1093/geronb/gbr153>
- Levy, B. R., Slade, M. D., & Kasl, S. V. (2002). Longitudinal benefit of positive self-perceptions of aging on functional health. *The Journals of Gerontology: Series B*, 57(5), P409–P417.  
<https://doi.org/10.1093/geronb/57.5.P409>

- Mann, A. S., Boeder, J., Tse, D. C. K., Graham, L., & Nakamura, J. (2022). Solitary prosociality in later life: An experience sampling study. *Research on Aging*, *44*(9-10), 724-733.  
<https://doi.org/10.1177/01640275211062124>
- Martin, P., Kelly, N., Kahana, B., Kahana, E., Willcox, B. J., Willcox, D. C., & Poon, L. W. (2015). Defining successful aging: A tangible or elusive concept? *The Gerontologist*, *55*(1), 14–25. <https://doi.org/10.1093/geront/gnu044>
- Martinson, M., & Berridge, C. (2015). Successful aging and its discontents: A systematic review of the social gerontology literature. *The Gerontologist*, *55*(1), 58-69.  
<https://doi.org/10.1093/geront/gnu037>
- Moore, R. C., Eyler, L. T., Mausbach, B. T., Zlatar, Z. Z., Thompson, W. K., Peavy, G., Fazeli, P. L., & Jeste, D. V. (2015). Complex interplay between health and successful aging: Role of perceived stress, resilience, and social support. *The American Journal of Geriatric Psychiatry*, *23*(6), 622–632. <https://doi.org/10.1016/j.jagp.2014.08.004>
- Mukherjee, D., Lee, S. A., & Almeida, D. (2023). Daily affective dynamics in major depressive disorder: The role of daily stressors and positive events. *Affective Science*, *4*(4), 757–769.  
<https://doi.org/10.1007/s42761-023-00209-x>
- Palmier-Claus, J., Haddock, G., & Varese, F. (2019). Why the experience sampling method? In J. Palmier-Claus, G. Haddock, & F. Varese (Eds.), *Experience sampling in mental health research* (pp. 1–7). Routledge/Taylor & Francis Group.
- Phelan, E. A., Anderson, L. A., Lacroix, A. Z., & Larson, E. B. (2004). Older adults' views of “successful aging” - how do they compare with researchers' definitions? *Journal of the American Geriatrics Society*, *52*(2), 211–216. <https://doi.org/10.1111/j.1532-5415.2004.52056.x>

- Pruchno, R., Sands, L. P., Cartwright, F. P., Rose, M., & Zhu, X. (2023). Subjective successful aging predicts probability of mortality over 9 years among adults aged 50-74. *The Gerontologist*. Advance online publication. <https://doi.org/10.1093/geront/gnad148>
- Radler, B. (2014). The Midlife in the United States (MIDUS) Series: A National Longitudinal Study of Health and Well-being. *Open Health Data*, 2. <https://doi.org/10.5334%2Fohd.ai>
- Reich, A. J., Claunch, K. D., Verdeja, M. A., Dungan, M. T., Anderson, S., Clayton, C. T., Goates, M. C., & Thacker, E. L. (2020). What does “successful aging” mean to you? Systematic review and cross-cultural comparison and lay perspectives of older adults in 13 countries, 2010 - 2020. *Journal of Cross-Cultural Gerontology*, 35, 455–478. <https://doi.org/10.1037%2Fa0038072>
- Rickenbach, E. H., Almeida, D. M., Seeman, T. E., & Lachman, M. E. (2014). Daily stress magnifies the association between cognitive decline and everyday memory problems: An integration of longitudinal and diary methods. *Psychology and Aging*, 29(4), 852–862. <https://doi.org/10.1037/a0038072>
- Röcke, C., & Brose, A. (2013). Intraindividual variability and stability of affect and well-being. *GeroPsych*, 26(3), 185–199. <https://doi.org/10.1024/1662-9647/a000094>
- Romo, R. D., Wallhagen, M. I., Yourman, L., Yeung, C. C., Eng, C., Micco, G., Pérez-Stable, E. J., & Smith, A. K. (2013). Perceptions of successful aging among diverse elders with late-life disability. *The Gerontologist*, 53(6), 939–949. <https://doi.org/10.1093/geront/gns160>
- Rosseel, Y. (2012). lavaan: An R package for structural equation modeling. *Journal of Statistical Software*, 48(2), 1–36. <https://doi.org/10.18637/jss.v048.i02>

- Rowe, J. W., & Kahn, R. L. (1987). Human aging: Usual and successful. *Science*, 237(4811), 143–149. <https://doi.org/10.1126/science.3299702>
- Rowe, J. W., & Kahn, R. L. (1997). Successful aging. *The Gerontologist*, 37(4), 433–440. <https://doi.org/10.1093/geront/37.4.433>
- Rowe, J. W., & Kahn, R. L. (2015). Successful aging 2.0: Conceptual expansions for the 21st century. *The Journals of Gerontology: Series B: Psychological Sciences and Social Sciences*, 70(4), 593–596. <https://doi.org/10.1093/geronb/gbv025>
- Sabia, S., Singh-Manoux, A., Hagger-Johnson, G., Cambois, E., Brunner, E. J., & Kivimaki, M. (2012). Influence of individual and combined healthy behaviours on successful aging. *Canadian Medical Association Journal*, 184(18), 1985–1992. <https://doi.org/10.1503/cmaj.121080>
- Schaie, K. W. (2016). Theoretical perspectives for the psychology of aging in a lifespan context. In K. W. Schaie & S. L. Willis (Eds.), *Handbook of the psychology of aging* (8<sup>th</sup> ed., pp. 3-13). Academic Press.
- Schneider, S., Junghaenel, D. U., Keefe, F. J., Schwartz, J. E., Stone, A. A., & Broderick, J. E. (2012). Individual differences in the day-to-day variability of pain, fatigue, and well-being in patients with rheumatic disease: Associations with psychological variables. *Pain*, 153(4), 813-822. <https://doi.org/10.1016/j.pain.2012.01.001>
- Serrat, R., Cannella, V., Chacur-Kiss, K., Pons-Vila, J., & Tesch-Römer, C. (2024). On the role of personality in successful aging: A scoping review. *The Gerontologist*. Advance online publication. <https://doi.org/10.1093/geront/gnae005>
- Settersten, R. A. (1999). “Successful” development. In *Lives in time and place: The problems and promises of developmental science* (pp. 218-234). Baywood.



- Shrira, A., Palgi, Y., Ben-Ezra, M., Hoffman, Y., & Bodner, E. (2016). A youthful age identity mitigates the effect of post-traumatic stress disorder symptoms on successful aging. *The American Journal of Geriatric Psychiatry*, 24(2), 174–175.  
<https://doi.org/10.1016/j.jagp.2015.07.006>
- Strawbridge, W. J., Wallhagen, M. I., & Cohen, R. D. (2002). Successful aging and well-being: Self-rated compared with Rowe and Kahn. *The Gerontologist*, 42(6), 727–733.  
<https://doi.org/10.1093/geront/42.6.727>
- Stringfellow, M. K., Fields, N. L., Lee, K., Anderson, K. A., & Brokaw, E. (2024). Healthy aging and older adults with autism: A scoping review. *The Gerontologist*. Advance online publication. <https://doi.org/10.1093/geront/gnae026>
- Sultson, H., Murd, C., Havik, M., & Konstabel, K. (2024). Negative affect instability predicts elevated depressive and generalized anxiety disorder symptoms even when negative affect intensity is controlled for: An ecological momentary assessment study. *Frontiers in Psychology*, 15, 1371115. <https://doi.org/10.3389/fpsyg.2024.1371115>
- Teater, B., & Chonody, J. M. (2020). How do older adults define successful aging? A scoping review. *The International Journal of Aging and Human Development*, 91(4), 599–625.  
<https://doi.org/10.1177/0091415019871207>
- Windsor, T. D., Curtis, R. G., & Luszcz, M. A. (2015). Sense of purpose as a psychological resource for aging well. *Developmental Psychology*, 51(7), 975–986.  
<https://doi.org/10.1037/dev0000023>

Tables

**Table 1.**  
*Estimates [Bootstrapped 95% CIs] of Multilevel Models*

Variable	Successful aging	Disease/disability	Physical functioning	Cognitive Functioning	Social Engagement	Productivity
Stressors <sub>B</sub>	-0.57*** [-0.70, -0.44]	0.79*** [0.54, 1.04]	-0.43*** [-0.60, -0.26]	-0.50*** [-0.65, -0.35]	-0.50*** [-0.65, -0.35]	-0.64*** [-0.80, -0.49]
Positive events <sub>B</sub>	0.19*** [0.12, 0.27]	-0.02 [-0.17, 0.13]	0.20*** [0.10, 0.30]	0.28*** [0.19, 0.37]	0.25*** [0.16, 0.34]	0.19*** [0.10, 0.29]
Stressors <sub>W</sub>	-0.09*** [-0.12, -0.07]	0.15*** [0.12, 0.20]	-0.06** [-0.09, -0.02]	-0.07*** [-0.10, -0.04]	-0.07*** [-0.10, -0.04]	-0.08*** [-0.11, -0.06]
Positive events <sub>W</sub>	0.02 [-0.00, 0.03]	0.1*** [0.06, 0.14]	0.06*** [0.03, 0.08]	0.03* [0.00, 0.05]	0.05*** [0.03, 0.08]	0.04*** [0.02, 0.06]
ICC <sub>null</sub>	0.724	0.631	0.542	0.560	0.642	0.707
PVR <sub>L2</sub>	0.081	0.052	0.037	0.072	0.056	0.078
PVR <sub>L1</sub>	0.075	0.055	0.038	0.042	0.064	0.057

Notes.  $k=6,368$ ,  $N=716$ . ICC<sub>null</sub> = Intraclass correlation of the null model. PVR<sub>L2</sub> and PVR<sub>L1</sub> = proportion of variance reduced at level 2 and level 1, respectively. Subscripts B and W refer to between- and within-person components of the predictor, respectively.

\*  $p < .05$ . \*\*  $p < .01$ . \*\*\*  $p < .001$ .

**Table 2.**

*Correlation Coefficients and Bootstrapped 95% Confidence Intervals between Personal Means ( $M_{\text{Personal}}$ ) of Successful Aging Indicators and the Corresponding One-Time Successful Aging Measures*

Diary variable ( $M_{\text{Personal}}$ )	MIDUS 2 one-time equivalence					
	SAG	DIS	PHY	COG	SOC	PRO
Successful aging (SAG)	<b>.58***</b> [.52, .64]	-.38*** [-.45, -.31]	.48*** [.41, .54]	.44*** [.37, .51]	.39*** [.32, .46]	.53*** [.47, .59]
Disease/disability (DIS)	-.33*** [-.40, -.27]	<b>.47***</b> [.41, .54]	-.27*** [-.34, -.20]	-.17*** [.26, -.10]	-.13** [-.20, -.05]	-.24*** [-.32, -.17]
Physical functioning (PHY)	.52*** [.03, .57]	-.26*** [.33, -.18]	<b>.51***</b> [.44, .57]	.40*** [.32, .46]	.32*** [.25, .39]	.47*** [.40, .53]
Cognitive functioning (COG)	.50*** [.43, .56]	-.22*** [-.29, -.14]	.40*** [.32, .46]	<b>.46***</b> [.40, .53]	.35*** [.28, .42]	.46*** [.40, .53]
Social engagement (SOC)	.47*** [.40, .54]	-.20*** [-.28, -.12]	.33*** [.25, .40]	.37*** [.29, .44]	<b>.46***</b> [.38, .53]	.44*** [.37, .50]
Productivity (PRO)	.53*** [.47, .59]	-.25*** [-.32, -.17]	.43*** [.36, .49]	.41*** [.34, .48]	.39*** [.32, .46]	<b>.55***</b> [.49, .61]

*Notes.*  $N=716$ . Correlation coefficients measuring the same construct (correlations at the diagonal) are bolded.

\*  $p < .05$ . \*\*  $p < .01$ . \*\*\*  $p < .001$ .

**Table 3.**

*Correlation Coefficients and Bootstrapped 95% Confidence Intervals between Personal Means ( $M_{Personal}$ ) and Standard Deviations ( $SD_{Personal}$ ) of Successful Aging Indicators and One-Time Health and Well-Being Measures*

Variables	Successful aging			Disease/disability			Physical functioning			Cognitive functioning			Social engagement			Productivity		
	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$	$M_{Personal}$	$SD_{Personal}$	$SD(M)_{Personal}$
Physical health																		
IADL	.36**	-.21**	-.11*	-.45**	-.09*	-.04	.36**	-.22**	-.08*	.16**	-.22**	-.16**	.10**	-.16**	-.11*	.21**	-.20**	-.11*
	[.30, .43]	[-.28, .13]	[-.20, .04]	[-.41, .39]	[-.17, .00]	[-.13, .04]	[.29, .42]	[-.30, .15]	[-.16, .01]	[.08, .23]	[-.29, .14]	[-.23, .09]	[.03, .18]	[-.24, .08]	[-.19, .04]	[.14, .28]	[-.28, .13]	[-.19, .03]
Chronic health conditions	-.37**	.18**	.09*	.46**	.07	.02	-.25**	.17**	.07	-.18**	.17**	.10*	-.18**	.13**	.04	-.23**	.18**	.08*
	[-.44, .29]	[.10, .27]	[-.00, .17]	[.40, .52]	[-.02, .17]	[-.07, .12]	[-.34, .18]	[.10, .25]	[-.02, .15]	[-.26, .10]	[.08, .26]	[-.1, .20]	[-.28, .09]	[.04, .21]	[-.05, .13]	[-.32, .15]	[.10, .25]	[.00, .16]
Vigorous activity	.11**	-.11**	-.07	-.10**	-.03	-.00	.15**	-.13**	-.07	.07	-.09*	-.06	.04	-.11**	-.11*	.09*	-.15**	-.13**
	[.04, .19]	[-.18, .03]	[-.14, .01]	[-.17, .03]	[-.10, .06]	[-.08, .08]	[.08, .22]	[-.20, .05]	[-.15, .00]	[-.01, .14]	[-.17, .02]	[-.14, .01]	[-.04, .11]	[-.19, .03]	[-.18, .04]	[.01, .16]	[-.22, .07]	[-.20, .05]
Moderate activity	.14**	-.07	-.03	-.08*	.02	.04	.17*	-.10**	-.03	.11**	-.13**	-.08*	.07	-.08*	-.06	.09*	-.10*	-.07
	[.06, .21]	[-.16, .01]	[-.12, .05]	[-.16, .01]	[-.06, .10]	[-.03, .12]	[.10, .25]	[-.18, .02]	[-.11, .04]	[.03, .19]	[-.21, .06]	[-.16, .00]	[-.01, .15]	[-.16, .01]	[-.14, .02]	[.01, .17]	[-.18, .02]	[-.15, .02]
Self-evaluated physical health	.35**	-.23**	-.14**	-.35**	-.10**	-.06	.34**	-.24**	-.10*	.22**	-.23**	-.15**	.18**	-.22**	-.14**	.23**	-.19**	-.10*
	[.29, .42]	[-.30, .15]	[-.22, .06]	[-.41, .28]	[-.18, .02]	[-.13, .01]	[.27, .41]	[-.31, .16]	[-.19, .03]	[.15, .30]	[-.30, .17]	[-.22, .09]	[.10, .25]	[-.28, .14]	[-.21, .07]	[.15, .30]	[-.25, .12]	[-.16, .02]
Health compared to others your age	.31**	-.17**	-.09*	-.26**	-.01	.02	.32**	-.18**	-.06	.21**	-.18**	-.10*	.17**	-.17**	-.10*	.21**	-.13**	-.03
	[.23, .37]	[-.24, .10]	[-.17, .01]	[-.33, .18]	[-.09, .07]	[-.06, .09]	[.24, .40]	[-.26, .11]	[-.13, .02]	[.13, .28]	[-.26, .10]	[-.17, .02]	[.10, .26]	[-.24, .09]	[-.17, .02]	[.13, .29]	[-.20, .05]	[-.11, .04]
Cognitive functioning																		
BTACT Composite	.09*	-.09*	-.07	-.12**	-.07	-.05	.07	-.04	-.02	.09*	-.15**	-.13*	.03	-.11**	-.13*	.01	-.07	-.08*
	[.02, .17]	[-.16, .01]	[-.14, .00]	[-.19, .04]	[-.14, .01]	[-.12, .02]	[.00, .14]	[-.12, .03]	[-.10, .05]	[.02, .17]	[-.22, .08]	[-.20, .06]	[-.04, .11]	[-.19, .04]	[-.20, .05]	[-.05, .08]	[-.14, .01]	[-.15, .00]
Episodic Memory	.10**	-.07	-.04	-.07	-.02	-.01	.10**	-.10*	-.07	.10**	-.13**	-.09*	.06	-.07	-.06	.07	-.07	-.06
	[.03, .17]	[-.14, .01]	[-.13, .04]	[-.14, .01]	[-.19, .06]	[-.08, .07]	[.03, .17]	[-.18, .02]	[-.14, .00]	[.02, .18]	[-.19, .06]	[-.16, .02]	[-.02, .13]	[-.15, .02]	[-.14, .03]	[.01, .13]	[-.14, .01]	[-.13, .02]
Executive functioning	.09*	-.08*	-.06	-.13**	-.08	-.06	.04	-.01	.00	.08*	-.12**	-.10*	.04	-.11**	-.12*	.00	-.05	-.07
	[.01, .16]	[-.15, .00]	[-.13, .01]	[-.20, .05]	[-.15, .00]	[-.13, .02]	[-.02, .11]	[-.09, .06]	[-.07, .08]	[.01, .16]	[-.19, .04]	[-.17, .03]	[-.04, .11]	[-.18, .03]	[-.19, .05]	[-.07, .08]	[-.12, .03]	[-.13, .01]
Memory compared to others your age	.32**	-.20**	-.13**	-.24**	-.06	-.03	.31**	-.22**	-.10*	.26**	-.26**	-.17**	.20**	-.23**	-.16**	.26**	-.21**	-.11*
	[.25, .39]	[-.28, .14]	[-.20, .06]	[-.31, .16]	[-.13, .03]	[-.10, .05]	[.22, .38]	[-.29, .14]	[-.18, .02]	[.18, .33]	[-.33, .19]	[-.24, .09]	[.11, .28]	[-.31, .17]	[-.23, .08]	[.18, .34]	[-.28, .14]	[-.18, .04]
Personality in intellectual aging contexts	.22**	-.09*	-.03	-.15**	.02	.04	.22**	-.12**	-.03	.19**	-.15**	-.07	.13**	-.13**	-.09*	.18**	-.15**	-.11*
	[.00, .04]	[-.17, .02]	[-.11, .04]	[-.22, .07]	[-.05, .09]	[-.04, .12]	[.14, .30]	[-.19, .04]	[-.10, .05]	[.11, .27]	[-.22, .08]	[-.15, .00]	[.05, .21]	[-.21, .06]	[-.16, .01]	[.11, .26]	[-.23, .08]	[-.19, .03]
Mental well-being																		
Satisfaction with life	.42**	-.21**	-.10*	-.29**	-.09*	-.05	.35**	-.24**	-.11*	.32**	-.20**	-.07	.36**	-.23**	-.08*	.33**	-.22**	-.09*
	[.35, .48]	[-.28, .14]	[-.19, .02]	[-.36, .22]	[-.17, .01]	[-.13, .02]	[.27, .42]	[-.31, .16]	[-.19, .02]	[.24, .40]	[-.28, .12]	[-.15, .01]	[.28, .43]	[-.31, .16]	[-.16, .00]	[.26, .41]	[-.29, .15]	[-.18, .01]
Psychological well-being composite	.40**	-.19**	-.09*	-.15**	-.02	-.00	.37**	-.21**	-.08*	.35**	-.24**	-.10*	.40**	-.28**	-.13**	.39**	-.23**	-.09*
	[.33, .47]	[-.27, .12]	[-.17, .01]	[-.22, .07]	[-.10, .06]	[-.08, .07]	[.30, .44]	[-.29, .13]	[-.16, .00]	[.28, .41]	[-.31, .17]	[-.18, .02]	[.33, .47]	[-.35, .21]	[-.21, .05]	[.32, .46]	[-.30, .15]	[-.17, .01]
Social well-being composite	.20**	-.14**	-.08*	-.06	-.02	-.00	.19**	-.10**	-.03	.15**	-.18**	-.12*	.23**	-.24**	-.15**	.16**	-.17**	-.11*
	[.12, .27]	[-.21, .05]	[-.16, .01]	[-.14, .01]	[-.09, .06]	[-.08, .07]	[.11, .27]	[-.17, .02]	[-.10, .05]	[.07, .23]	[-.26, .10]	[-.19, .04]	[.15, .31]	[-.31, .17]	[-.23, .08]	[.08, .24]	[-.24, .09]	[-.19, .04]

Self-evaluated mental/emotional health	.32**	-.19**	-.11*	-.22**	-.11**	-.09*	.25**	-.16**	-.06	.26**	-.19**	-.09*	.27**	-.21**	-.10*	.28**	-.15**	-.04
	[.25, .39]	[-.26, -.11]	[-.18, -.03]	[-.29, -.15]	[-.19, -.04]	[-.16, -.02]	[.17, .32]	[-.24, -.07]	[-.14, .03]	[.18, .32]	[-.27, -.12]	[-.16, -.02]	[.20, .34]	[-.28, -.14]	[-.17, -.02]	[.20, .35]	[-.22, -.08]	[-.12, .04]
Perceived control	.35**	-.18**	-.09*	-.21**	-.01	.01	.34**	-.17**	-.04	.25**	-.20**	-.10*	.28**	-.18**	-.08*	.31**	-.23**	-.12*
	[.28, .42]	[-.25, -.10]	[-.17, -.01]	[-.29, -.13]	[-.10, .07]	[-.07, .09]	[.27, .42]	[-.25, -.10]	[-.11, .04]	[.17, .32]	[-.27, -.13]	[-.17, -.02]	[.19, .35]	[-.26, -.10]	[-.15, .01]	[.24, .39]	[-.31, -.15]	[-.20, -.05]

Notes.  $N=716$ . IADL=instrumental activities of daily living. BTACTION=Brief Test of Adult Cognition by Telephone.  $SD(M)_{\text{Personal}}$  refers to the partial correlations between  $SD_{\text{Personal}}$  and one-time health and well-being variables, controlling for  $M_{\text{Personal}}$ . See Supplemental Materials for descriptions of each health and well-being variable.

\*  $p < .05$ . \*\*  $p < .01$ . \*\*\*  $p < .001$ .

Accepted Manuscript